	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	1056	(257/432).CCLS.	US-PGPUB; USPAT	2006/07/16 11:54			
2	BRS	L2	53	(photodetector or photodiode or pd) with (integral or integrally or directly) with filter.ti,ab,clm.	US-PGPUB; USPAT	2006/07/16 11:54			
3	BRS	L3	1676	(photodetector or photodiode or pd) with filter.ti,ab,clm.	US-PGPUB; USPAT	2006/07/16 11:54			
4	BRS	L4	2702	L1 or L2 or L3	US-PGPUB; USPAT	2006/07/16 11:54			
5	BRS	L5	369018	(1 near2 (shape or shaped)) or (right adj angle) or ("90" adj (degree or degrees))	US-PGPUB; USPAT	2006/07/16 11:54			
6	BRS	L6	223	L4 and L5	US-PGPUB; USPAT	2006/07/16 11:54			
7	BRS	L7	80	(photodetector or photodiode or pd) with (1 near2 (shape or shaped))	US-PGPUB; USPAT	2006/07/16 11:54			
8	BRS	L8	79	L7 not L6	US-PGPUB; USPAT	2006/07/16 11:54			
9	IS&R	L9	3115	(385/24).CCLS.	US-PGPUB; USPAT	2006/07/16 11:54			
10	IS&R	L10	2972	(385/14).CCLS.	US-PGPUB; USPAT	2006/07/16 11:54			

10/751309 (update)

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L11	2370	(wdm or demultiplex$3 or multiplex$3) near3 (module or arrangement or circuit).ti,ab.	US-PGPUB; USPAT	2006/0 7/16 11:54			
12	BRS	L12	1563	(L9 or L11) and (L10 or substrate or bench)	US-PGPUB; USPAT	2006/0 7/16 11:54			
13	BRS	L13	3585	filter near5 (groove or grooves or trench or trenches)	US-PGPUB; USPAT	2006/0 7/16 11:54			
14	BRS	L14	38	L12 and L13	US-PGPUB; USPAT	2006/0 7/16 11:54			
15	BRS	L15	13	L11 and L13	US-PGPUB; USPAT	2006/0 7/16 11:54			
16	BRS	L16	68	(wdm or demultiplex$3 or multiplex$3).ti,ab. and L13	US-PGPUB; USPAT	2006/0 7/16 11:54			
17	BRS	L17	34826	first adj3 (detector or photodetector or photodiode or pd)	US-PGPUB; USPAT	2006/0 7/16 11:54			
18	BRS	L18	36017	second adj3 (detector or photodetector or photodiode or pd)	US-PGPUB; USPAT	2006/0 7/16 11:54			
19	BRS	L19	35	L13 and L17 and L18	US-PGPUB; USPAT	2006/0 7/16 11:54			
20	BRS	L20	10848	(laser or ld) with (coupler or curved)	US-PGPUB; USPAT	2006/0 7/16 11:54			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
21	BRS	L21	26	L13 and L20	US-PGPUB; USPAT	2006/0 7/16 11:54			
22	BRS	L22	741	(pd or photodiode or photodetector) near5 (groove or grooves or trench or trenches)	US-PGPUB; USPAT	2006/0 7/16 11:54			
23	BRS	L23	52	(L9 or L10 or L11 or L12) and L22	US-PGPUB; USPAT	2006/0 7/16 11:54			
24	BRS	L24	172	L14 or L15 or L16 or L19 or L21 or L23	US-PGPUB; USPAT	2006/0 7/16 11:54			
25	BRS	L25	470	L24 or L6 or L8	US-PGPUB; USPAT	2006/0 7/16 11:54			
26	BRS	L26	21	L25 and @pd>"20060321"	US-PGPUB; USPAT	2006/0 7/16 11:54			